



#### BUREAU OF ANIMAL INDUSTRY

5 Visayas Avenue, Barangay Vasra, Quezon City 1128







November 8, 2024

#### SUPPLEMENTAL / BID BULLETIN No. 2024-116

This Supplemental/Bid Bulletin No. 2024-116 is issued by the BAI Bids and Awards Committee to all participating bidders to clarify, amend and/or modify certain provisions and requirements for the various procurement projects.

All portions of the Bidding Documents affected by these amendments shall be made to conform the same.

Amendments/inclusions/clarifications made herein shall be considered as integral part of the Bidding

FROM	то
IB -2024-09-116 SUPPLY AND DELIVERY OF NUCLEIC ACID EXTRACTION KIT AND ASFV CONVECTIVE PCR (CPCR KITS) ABC - 25,200,000.00	
Lot 1	Lot 1
Nucleic acid purification kit	Nucleic acid purification kit
Automated extraction	Automated extraction
Specifications:	Specifications:
Technology: Uses magnetic beads	Technology: Uses magnetic beads
For Use With: Real-Time PCR, Sequencing	For Use With: Real-Time PCR, Sequencing
Sample Type: Bacteria, Blood, DNA, Liquid Samples	Sample Type: Bacteria, Blood, DNA, Liquid Samples
Other Samples: RNA, Tissue, Viral Samples	Other Samples: RNA, Tissue, Viral Samples
High-throughput compatibility	High-throughput compatibility
No. of reactions: 500	No. of reactions: 500
Shipping condition: room temperature	Shipping condition: room temperature
Target: Genomic DNA, Pathogen DNA/RNA,	Target: Genomic DNA, Pathogen DNA/RNA
Total Nucleic Acids, Viral DNA/RNA	Total Nucleic Acids, Viral DNA/RNA
Kit content:	Kit content:
1 x 275 mL Lysis Solution	1 x 275 mL Lysis Solution

1 x 220 mL Binding Solution

1 x 300 mL Wash Solution 1

1 x 300 mL Wash Solution 2

1 x 55 mL Elution Buffer

1 x 11 mL Magnetic Beads

1 x 5 mL Proteinase K

Expiry date: at least 1 year upon delivery Notes:

Kit should be compatible with existing equipment: KingFisherTM Flex Purification 1 x 220 mL Binding Solution

1 x 300 mL Wash Solution 1

1 x 300 mL Wash Solution 2

1 x 55 mL Elution Buffer

1 x 11 mL Magnetic Beads

1 x 5 mL Proteinase K

Expiry date: at least 1 year upon delivery Notes:


Kit should be compatible with existing equipment: KingFisherTM Flex Purification





## BUREAU OF ANIMAL INDUSTRY

5 Visayas Avenue, Barangay Vasra, Quezon City 1128







System (with source and reference for compatibility)

Kit should have been used in method validation of PCR testing for ASF virus in en effective against livestock disea LINDOA

Include the number of consumables used per kit - deep well plate, tip comb, eluate plate.

Delivery Period: Within 15 days upon receipt of Notice to Proceed

Place of Delivery: ADDRL-Molecular Laboratory

Lot 2

ASFV Convective PCR (cPCR kits) 48 reactions/kit

Specifications: Midral VI elament M gnitude 9

Contains solution for nucleic acid extraction Contains solution for nucleic acid amplification Contains ASFV negative and positive controls

Expiry date: At least 1 year upon delivery Delivery period: Within 15 calendar days from receipt of Notice to Proceed

Place of delivery: VLD-ADDRL-Virology Unit

System (with source and reference for compatibility)

Kit should have been used in method validation of PCR testing for ASF virus in en effective against livestock diseasJRDDA

Include the number of consumables used per kit - deep well plate, tip comb, eluate

Delivery Period: Within 15 days upon of the receipt of Notice to Proceed Period: 30 calendar days upon

Place of Delivery: ADDRL-Molecular Laboratory

Lot 2

ASFV Convective PCR (cPCR kits) 48 reactions/kit

Specifications: Malaly) alarmone Mannager

Contains solution for nucleic acid extraction Contains solution for nucleic acid amplification Contains ASFV negative and positive front cover, back cover, and slortnos

Expiry date: At least 1 year upon delivery Delivery period: Within 15 calendar days from receipt of Notice to Proceed

Place of delivery: VLD-ADDRL-Virology Unit

## IB - 2024-09-118 SUPPLY AND DELIVERY OF DISINFECTANT POWDER ABC - 1,000,000.00

Disinfectant Powder, 100g/sachet, 100 pcs/box, Original Packaging

Specifications:

Peroxygen based disinfectant At least a minimum of 50% Potassium Monopersulfate Non-corrosive at recommended dose

Disinfectant Powder, 100g/sachet, 100 pcs/box, Original Packaging

## Specifications:

Peroxygen based disinfectant At least a minimum of 50% Potassium Monopersulfate Non-corrosive at recommended dose








#### **BUREAU OF ANIMAL INDUSTRY**

5 Visayas Avenue, Barangay Vasra, Quezon City 1128







non-irritating, non-toxic, and not harmful to the user

environment-friendly or biodegradable with valid FPA/FDA CPR

Proven effective against livestock diseases caused by viruses, bacteria, fungi, and other microorganisms

Expiry date: Not less than 18 months from the date of delivery

Delivery Period: 30 calendar days upon receipt of NTP

Place of Delivery: BAI-AHWD, Visayas Avenue Quezon City Date 928/19 928/19 11

non-irritating, non-toxic, and not harmful to the user

environment-friendly or biodegradable with valid FPA/FDA CPR

Proven effective against livestock diseases caused by viruses, bacteria, fungi, and other microorganisms

Expiry date: Not less than 18 months from the date of delivery

Delivery Period: 30 calendar days upon receipt of NTP

Place of Delivery: BAI-AHWD, Visayas Avenue Quezon City

## IB - 2024-09-120 SUPPLY AND DELIVERY OF IEC PRINTING MATERIALS ABC - 1,000,000,00

IEC Printing Materials (Visibility Materials)

### Specifications:

Brochure (Booklet-type)

FAQs on ASF Vaccine

22 pages (front cover, back cover, and inside pages) and state of the pages of the

Stapled, full color, A5 size

Front and back page 12pt gloss finish

Inside page: 8.5lb text, glossy moltanilism?

## Poster

## Specifications: government base MA See MO IV

24x 36' FC four colors, offset printing with glossy finish attachment the sldbagmod

## Tarpaulin with roll-up stand

## Specifications: GGA-GAV syravilab to apply

Digital print with standee

IEC Printing Materials (Visibility Materials)

## 

Brochure (Booklet-type)

FAQs on ASF Vaccine

22 pages (front cover, back cover, and inside pages) III enelydeydog oldodgorbyH.

Stapled, full color, A5 size

Front and back page 12pt gloss finish

Inside page: 8.5lb text, glossy

#### Poster

## Specifications: gory A has easily easily IV

24x 36' FC four colors, offset printing with glossy finish manufactured discountry

## Tarpaulin with roll-up stand

## Specifications: GAA-GAIV symposis of delivery: VLD-ADD

Digital print with standee








## BUREAU OF ANIMAL INDUSTRY

5 Visayas Avenue, Barangay Vasra, Quezon City 1128









Size: 2x5 ft

Delivery period: within 15 calendar days from receipt of Notice to Proceed

SUPPLY AND DELIVERY OF AUTOMATE

Place of delivery: BAI-AHWD-NASFPCP

Size: 2x5 ft SUPPLY AND DELIVERY OF AUTOMATED

Delivery period: within 15 calendar days from receipt of Notice to Proceed

Place of delivery: BAI-AHWD-NASFPCP

IB - 2024-09-121

SUPPLY AND DELIVERY OF IEC PROMOTIONAL ITEMS

**Customized Tote Bag** 

Specifications:

Bag: 13.5 in. x 16 in., Thick Katsa or Canvas Handle: Long enough to wear on shoulder comfortably

Open tote bag design (no zipper or hooks) Full Colored, siklstreen/DTF type of print Reinforced stitching on handles and stress

Customized Notebook

Specifications:

2 Side Print Spring Notebook Cover Paper: Printed on front and back cover, laminated finish Inside pages: lined loose leaf paper Binding: Spiral bound Size: A5 (14.8\*21cm), 80 pages Should be inside individual plastic packed

Customized Board Fan

Specifications:

Material: Glossy PVC Plastic Board

Size: 8.5" diameter

Print Type: UV Digital Printing

Customized Design Printed back-to-back

Customized T-shirt

Specifications: "Garwy Washington all rate

Material: Honeycomb Neckline: Round Neck

**Customized Tote Bag** 

Specifications:

Bag: 13.5 in. x 16 in., Thick Katsa or Canvas Handle: Long enough to wear on shoulder comfortably

Open tote bag design (no zipper or hooks) Full Colored, siklstreen/DTF type of print Reinforced stitching on handles and stress points Place of delivery: VLD-ADDRL-Virology Ur

Customized Notebook

Specifications: O VARIANTE GIVE OF A PLANTING THE PROPERTY OF THE PROPERTY OF

2 Side Print Spring Notebook

Cover Paper: Printed on front and back

cover, laminated finish

Inside pages: lined loose leaf paper

Binding: Spiral bound

Size: A5 (14.8\*21cm), 80 pages

Should be inside individual plastic packed

presentably

Customized Board Fan

Specifications:

Material: Glossy PVC Plastic Board

Size: 8.5" diameter

Print Type: UV Digital Printing

Customized Design Printed back-to-back

**Customized T-shirt** 

Specifications:

Material: Honeycomb Neckline: Round Neck








## **BUREAU OF ANIMAL INDUSTRY**

5 Visayas Avenue, Barangay Vasra, Quezon City 1128









Color: White so all middly borned yreviled

Unisex

Front and Back Design: DTF Print Sleeve Length: Short Sleeves Labeled etiquette of sizes

Sizes:

XS-100 pcs Optical Plate, DNA/RNase free, 0. 22q 001-2 M-200 pcs L-200 pcs XL-200 pcs 2XL-100 pcs 3XL-100 pcs

Packaged individually

Delivery period: within 30 calendar days

Place of delivery: BAI-AHWD-NASFPCP

from receipt of Notice to Proceed

Delivery period: within 15 cal estimated

from receipt of Notice to Proceed xszinU

Front and Back Design: DTF Print Sleeve Length: Short Sleeves Labeled etiquette of sizes

Sizes: XS-100 pcs Optical Plate, DNA/RNase free, 0, 22q 001-2 M-200 pcs L-200 pcs XL-200 pcs 2XL-100 pcs 3XL-100 pcs

Packaged individually

Delivery period: within 30 calendar days from receipt of Notice to Proceed

Place of delivery: BAI-AHWD-NASFPCP

IB - 2024-09-130

SUPPLY AND DELIVERY OF VARIOUS FILTER TIPS AND PIPETTE TIPS ABC - 4,123,500.00

## Lot 1 SUPPLY AND DELIVERY OF VARIOUS FILTER TIPS

-Filtered Pipette Tips, 0.5-10 μl Sterile, 96/rack; 10 racks/case, universal fit, long/extended (2 oibaramen) bas tas?

### Specifications: say I take I A sate I wanted

Delivery period: within 15 calend: Material

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 10-100 ul Sterile, 96/rack; 10 racks/case, universal fit

## Specifications: Specycon (Specifications)

Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 20-200 ul Sterile, 96/rack; 10 racks/case, universal fit, graduated

## Lot 1 SUPPLY AND DELIVERY OF VARIOUS FILTER TIPS

-Filtered Pipette Tips, 0.5-10 μl day 1970/4 Sterile, 96/rack; 10 racks/case, universal fit, long/extended

#### Specifications: Developed to the State of th

Delivery period: within 15 calend :lairataM

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 10-100 µl Sterile, 96/rack; 10 racks/case, universal fit

## Specifications: Object, V-botto, separations:

Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 20-200 µl Sterile, 96/rack; 10 racks/case, universal fit, graduated





#### BUREAU OF ANIMAL INDUSTRY

5 Visayas Avenue, Barangay Vasra, Quezon City 1128







## Specifications:

#### Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free and all Hydrophobic polyethylene filter

-Filtered Pipette Tips, 30-300 μl Sterile, 96/rack; 10 racks/case, universal fit, graduated

## Specifications:

### Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 100-1000 ul Sterile, 96/rack; 10 racks/case, universal fit

### Specifications:

#### Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 1-50 μl Sterile, 96/rack; 10 racks/case, universal fit

#### Specifications:

### Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

Compatible with Transferpette® S, Finpipette F1 and Eppendorf pipettes

Delivery period: within 15 calendar days from receipt of Notice to Proceed

Place of delivery: VLD-ADDRL-Virology Unit

## Specifications: 12 omred 1 not eldisquio

#### Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter not model.

-Filtered Pipette Tips, 30-300 µl Sterile, 96/rack; 10 racks/case, universal fit, graduated wignibroos bebing of ease!

### Specifications:

## Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 100-1000 μl Sterile, 96/rack; 10 racks/case, universal

#### Specifications:

### Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 1-50 µl Sterile, 96/rack; 10 racks/case, universal fit

## Specifications:

## Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

Compatible with Transferpette® S, Finpipette F1 and Eppendorf pipettes

Delivery period: within 15 calendar days from receipt of Notice to Proceed

Place of delivery: VLD-ADDRL-Virology Unit







## BUREAU OF ANIMAL INDUSTRY

5 Visayas Avenue, Barangay Vasra, Quezon City 1128







Size: 2x5 ft

Delivery period: within 15 calendar days from receipt of Notice to Proceed

Place of delivery: BAI-AHWD-NASFPCP

Size: 2x5 ft

Delivery period: within 15 calendar days from receipt of Notice to Proceed

Place of delivery: BAI-AHWD-NASFPCP

#### IB - 2024-09-121

## SUPPLY AND DELIVERY OF IEC PROMOTIONAL ITEMS ABC - 1,000,000.00

**Customized Tote Bag** 

Specifications:

Bag: 13.5 in. x 16 in., Thick Katsa or Canvas Handle: Long enough to wear on shoulder comfortably

Open tote bag design (no zipper or hooks) Full Colored, siklstreen/DTF type of print Reinforced stitching on handles and stress points

Customized Notebook

## Specifications:

2 Side Print Spring Notebook Cover Paper: Printed on front and back cover, laminated finish Inside pages: lined loose leaf paper Binding: Spiral bound Size: A5 (14.8\*21cm), 80 pages Should be inside individual plastic packed presentably

Customized Board Fan

### Specifications:

Material: Glossy PVC Plastic Board Size: 8.5" diameter Print Type: UV Digital Printing

Customized Design Printed back-to-back

Customized T-shirt

## Specifications:

Material: Honeycomb Neckline: Round Neck **Customized Tote Bag** 

## Specifications:

Bag: 13.5 in. x 16 in., Thick Katsa or Canvas Handle: Long enough to wear on shoulder comfortably Open tote bag design (no zipper or hooks) Full Colored, siklstreen/DTF type of print Reinforced stitching on handles and stress points

Customized Notebook

## Specifications:

2 Side Print Spring Notebook Cover Paper: Printed on front and back cover, laminated finish Inside pages: lined loose leaf paper Binding: Spiral bound Size: A5 (14.8\*21cm), 80 pages Should be inside individual plastic packed presentably

Customized Board Fan

## Specifications:

Material: Glossy PVC Plastic Board Size: 8.5" diameter Print Type: UV Digital Printing Customized Design Printed back-to-back

**Customized T-shirt** 

#### Specifications:

Material: Honeycomb Neckline: Round Neck








## BUREAU OF ANIMAL INDUSTRY

5 Visayas Avenue, Barangay Vasra, Quezon City 1128







Color: White Unisex

Front and Back Design: DTF Print Sleeve Length: Short Sleeves Labeled etiquette of sizes

Sizes:

XS-100 pcs S-100 pcs M-200 pcs L-200 pcs XL-200 pcs 2XL-100 pcs

3XL-100 pcs

Packaged individually

Delivery period: within 30 calendar days from receipt of Notice to Proceed

Place of delivery: BAI-AHWD-NASFPCP

Color: White Unisex

Front and Back Design: DTF Print Sleeve Length: Short Sleeves Labeled etiquette of sizes

Sizes: XS-100 pcs S-100 pcs M-200 pcs L-200 pcs XL-200 pcs 2XL-100 pcs

3XL-100 pcs Packaged individually

Delivery period: within 30 calendar days from receipt of Notice to Proceed

Place of delivery: BAI-AHWD-NASFPCP

IB - 2024-09-130

## SUPPLY AND DELIVERY OF VARIOUS FILTER TIPS AND PIPETTE TIPS ABC - 4,123,500.00

## Lot 1 SUPPLY AND DELIVERY OF VARIOUS FILTER TIPS

-Filtered Pipette Tips, 0.5-10 μl Sterile, 96/rack; 10 racks/case, universal fit, long/extended

## Specifications:

Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 10-100 μl Sterile, 96/rack; 10 racks/case, universal

#### Specifications:

Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 20-200 μl Sterile, 96/rack; 10 racks/case, universal fit, graduated

### Lot 1 SUPPLY AND DELIVERY OF VARIOUS FILTER TIPS

-Filtered Pipette Tips, 0.5-10 μl Sterile, 96/rack; 10 racks/case, universal fit, long/extended

## Specifications:

Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 10-100 μl Sterile, 96/rack; 10 racks/case, universal fit

## Specifications:

Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 20-200 μl Sterile, 96/rack; 10 racks/case, universal fit, graduated








## BUREAU OF ANIMAL INDUSTRY

5 Visayas Avenue, Barangay Vasra, Quezon City 1128









## Specifications:

#### Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips,  $30-300 \mu l$ Sterile, 96/rack; 10 racks/case, universal fit, graduated

## Specifications:

### Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 100-1000 μl Sterile, 96/rack; 10 racks/case, universal fit

#### Specifications:

#### Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 1-50 μl Sterile, 96/rack; 10 racks/case, universal fit

## Specifications:

#### Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

Compatible with Transferpette® S, Finpipette F1 and Eppendorf pipettes

Delivery period: within 15 calendar days from receipt of Notice to Proceed

Place of delivery: VLD-ADDRL-Virology Unit

## Specifications:

#### Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 30-300 μl Sterile, 96/rack; 10 racks/case, universal fit, graduated

### Specifications:

#### Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 100-1000 μl Sterile, 96/rack; 10 racks/case, universal

#### Specifications:

#### Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

-Filtered Pipette Tips, 1-50 µl Sterile, 96/rack; 10 racks/case, universal

#### Specifications:

## Material:

Medical grade PP conforming to USP Class VI DNase, RNase and Pyrogen Free Hydrophobic polyethylene filter

Compatible with Transferpette® S, Finpipette F1 and Eppendorf pipettes

Delivery period: within 15 calendar days from receipt of Notice to Proceed

Place of delivery: VLD-ADDRL-Virology Unit







## BUREAU OF ANIMAL INDUSTRY

5 Visayas Avenue, Barangay Vasra, Quezon City 1128







## Lot 2 SUPPLY AND DELIVERY OF AUTOMATED FILTER TIPS

- -Filtered Pipette Tips, 30-300 μl, low retention, sterile, 96 tips/rack; 10 racks/box
- -Filtered Pipette Tips, 100-1250 μl, low retention, sterile, 96 tips/rack; 10 racks/box

## Specifications:

Compatible with the existing Thermo Scientific Novus automated pipettor for volumes 30-300μl and 100-1200μl.

Delivery period: within 15 calendar days from receipt of Notice to Proceed

Place of delivery: VLD-ADDRL-Virology Unit

## Lot 2 SUPPLY AND DELIVERY OF AUTOMATED FILTER TIPS

- -Filtered Pipette Tips, 30-300 μl, low retention, sterile, 96 tips/rack; 10 racks/box
- -Filtered Pipette Tips, 100-1250 μl, low retention, sterile, 96 tips/rack; 10 racks/box

## Specifications:

Compatible with the existing Thermo Scientific Novus automated pipettor for volumes 30-300µl and 100-1200µl.

Delivery period: within 15 calendar days from receipt of Notice to Proceed

Place of delivery: VLD-ADDRL-Virology Unit

## Lot 3 SUPPLY AND DELIVERY OF PIPETTE TIPS

- -1000 ul, Disposable pipette tips, 1000/pk, low retention
- -300 ul, Disposable pipette tips, 1000/pk, low retention
- -200 ul, Disposable pipette tips, 1000/pk, low retention
- -100 ul, Disposable pipette tips, 1000/pk, low retention
- -10 ul, Disposable pipette tips, 1000/pk, low retention
- -Disposable serological pipette, 10mlx1/10, sterile, individually wrapped
- -Disposable serological pipette, 5mlx1/10, sterile, individually wrapped
- -Disposable serological pipette, 25ml 2x1/10, sterile, individually wrapped

## SUPPLY AND DELIVERY OF PIPETTE TIPS

- -1000 ul, Disposable pipette tips, 1000/pk, low retention
- -300 ul, Disposable pipette tips, 1000/pk, low retention
- -200 ul, Disposable pipette tips, 1000/pk, low retention
- -100 ul, Disposable pipette tips, 1000/pk, low retention
- -10 ul, Disposable pipette tips, 1000/pk, low retention
- -Disposable serological pipette, 10mlx1/10, sterile, individually wrapped
- -Disposable serological pipette, 5mlx1/10, sterile, individually wrapped
- -Disposable serological pipette, 25ml 2x1/10, sterile, individually wrapped








## **BUREAU OF ANIMAL INDUSTRY**

5 Visayas Avenue, Barangay Vasra, Quezon City 1128







Delivery period: within 15 calendar days from receipt of Notice to Proceed

Place of delivery: VLD-ADDRL-Virology Unit

Delivery period: within 15 calendar days from receipt of Notice to Proceed

Place of delivery: VLD-ADDRL-Virology

### IB - 2024-09-134

## SUPPLY AND DELIVERY OF OPTICAL PLATE

ABC - 1,266,000.00

Optical Plate, DNA/RNase free, 0.1ml

Optical Plate, DNA/RNase free, 0.1ml

## Specifications:

96 well plate (0.1ml) Material: Polypropylene Color: Optica006C Reaction speed: Fast PCR compatible 20 plates/box

Optical Plate, DNA/RNase free, 0.2ml 96 well plate (0.2ml) Material: Polypropylene

Color: Optical Reaction speed: Fast PCR compatible 20 plates/box

NOTE: It should be compatible with existing thermal cycler machines (7500 Fast and QuantStudio 5).

Expiry Date: At least 1 year upon delivery. Delivery period: within 15 calendar days from receipt of NTP

Place of delivery: VLD-AI ADDRL-Virology Unit

## Specifications:

96 well plate (0.1ml) Material: Polypropylene Color: Optica006C Reaction speed: Fast PCR compatible 20 plates/box

Optical Plate, DNA/RNase free, 0.2ml 96 well plate (0.2ml) Material: Polypropylene Color: Optical Reaction speed: Fast

PCR compatible 20 plates/box

NOTE: It should be compatible with existing thermal cycler machines (7500 Fast and QuantStudio 5).

Expiry Date: At least 1 year upon delivery. Delivery period: within 15 calendar days from receipt of NTP

Place of delivery: VLD-AI ADDRL-Virology Unit

## IB - 2024-09-136

## SUPPLY AND DELIVERY OF CONSUMABLE FOR AUTOMATED EXTRACTION

ABC - 1,508,000.00

Deepwell 96-plate, V-bottom, polypropylene; 50 pcs/case

-96 well plates, 48pcs/box

-96 Tip Comb, 100pcs/box

Specifications:

Deepwell 96-plate, V-bottom, polypropylene; 50 pcs/case

-96 well plates, 48pcs/box

-96 Tip Comb, 100pcs/box

Specifications:







## BUREAU OF ANIMAL INDUSTRY

5 Visayas Avenue, Barangay Vasra, Quezon City 1128







Compatible for Thermo Scientific KingFisher™ Flex Automated Extraction Machine

Place of delivery: BAI-ADDRL Virology Laboratory

Delivery period: within 15 calendar days from receipt of NTP

Compatible for Thermo Scientific KingFisher™ Flex Automated Extraction Machine

Place of delivery: BAI-ADDRL Virology Laboratory

Delivery period: within 15 calendar days from receipt of NTP

Please be guided accordingly.

RAINELDA C. DELA PEÑA, BSAH, DVM, MPA

Chairperson

Special Bids and Awards Committee

